EAST Search History

EAST Search History (Prior Art)

ŧ]	Search Query		Default Operator	Plurals	Time Stamp
	2	(°575)966°), PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2010/05/18 14:36
32	2	(*6725022°), PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 14:37
33	2	(°20030003899°).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2010/05/18 14:41
34	70879	[455] 3.03-3.06,41.2,45,94,150.1,150.2,150.3,154.1,158.4,186.1,412,413,414.1,414.2,414.3,426.1,456.6,457,508,566.cds. 705] 1,10,14,16,26,51.cds. 709] 200,201,206,207,217,219,231,245,219,231.cds. 725] 1,34,51,52,102,112,114,116,136.cds.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2010/05/18 14:51
		(link stream feed\$3) NEAR9 (stor\$3 database) SAME (channel WITH application) AND (channel NEAR9 data) SAME channel NEAR9 memor\$3 AND subscrib\$2 NEAR9 channel AND (replac\$3 substitut\$3 overwrit\$4) AND restrict\$3 SAME channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2010/05/18 15:01
36	5	(link stream feed\$3) SAME (stor\$3 database) SAME (channel WITH application) AND (channel NEAR9 memor\$3) AND (subscrib\$2 NEAR9 channel) AND (replac\$3 substitut\$3 overwrit\$4) AND (restrict\$3 SAME channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2010/05/18 15:02
\$7	3	SS AND @ad<="20040301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2010/05/18 15:03
38	22	(link stream feed\$3 channel) NEAP9 (stor\$3 database) SAME application SAME (channel NEAP9 memor\$5) AND (subscrib\$2 NEAP9 channel) AND (replac\$3 substitut\$3 overwrit\$4) AND (restrict\$3 SAME channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 15:24
	20	SS AND @ad<="20040301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 15:25
	0	(feed ADJ9 stor\$3 database memor\$3) SAME (channel ADJ9 application) AND ((subscribed subscription) NEAP9 channel) AND (replac\$3 substitut\$3 overwrit\$4) SAME (restrict\$3 SAME channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2010/05/18 15:36
	31	(fleed ADJB stor\$3 database memor\$3) SAME channel SAME application AND ((subscribed subscript\$3) NEAP9 channel) AND (replac\$3 substitut\$3 overwrit\$4) SAME (restrict\$3 SAME channel)		OR	ON	2010/05/18 15:37
311	0	(feed ADJØ stor\$3 database memor\$3) SAME (channel ADJØ application) AND ((subscribed subscript\$3) NEARØ channel) AND (replac\$3 substitut\$3 overwrit\$4) SAME (restrict\$3 SAME channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 15:37

S15		S14 AND @ad<="20040301"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWBNT; IBM_TDB	On .	ON	2010/05/ 15:39
S14	4	SI AND SI3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWBNT; IBM TDB	OR	ON	2010/05/ 15:39
S13	103	(feed ADJ9 stor\$3 database memor\$3) SAME channel SAME application AND (replac\$3 substitut\$3 overwrit\$4) SAME (restrict\$3 SAME channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/ 15:39
	32776	(feed ADJ9 stor\$3 database memor\$3) SAME channel SAME application	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/ 15:40
	14	S4 AND S17	US-PGPUB; USPAT; USOCR; FPRS, EPO; JPO; DERWBNT; IBM_TDB	OR	ON	2010/05/ 15:41
	261	(feed ADJB stor\$3 database memor\$3) SAME application AND (replac\$3 substitut\$3 overwrit\$4) SAME (restrict\$3 SAME channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05 15:41
S19	4	S18 AVD @ad<="20040301"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05 15:42
	3	S20 AND @ad<="20040301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05 12:37
\$20	8	(fleed ADJB stor\$3 database memor\$3) SAME channel SAME application AND ((subscrib\$3 subscript\$3) NEAR9 channel) AND (replac\$3 substitut\$3 overwrit\$4) SAME (restrict\$3 SAME channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05 12:37
	24094	455/3.03-3.06,41.2,45,94,150.1,150.2,150.3,154.1,158.4,186.1,412.1,413.414.1,414.2,414.3,426.1,452.1,456.1,456.6,457,508,566.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05 13:25
3 23		S22 AND (interactive SAME multi\$media SAME content) AND (channel WITH application) AND (database memor\$3 stor\$3) WITH channel WITH (address identif\$4 identity)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/05 13:29
		S22 AND (interactive SAME multi\$media SAME content) AND (application) AND (database memor\$3 stor\$3) WITH channel	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05 13:31
		S24 AND @ad<="20040301"	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/05 13:32
\$26	27	S22 AND (interactive SAME multi\$media) AND (content SAME application) AND (database memor\$3 stor\$3) WITH channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05 14:01

27	10	(\$26 AND @ad<="20040301"	(US-PGPUB; (USPAT; (USOCR; FPRS; (EPO; JPO;	OR	ON	2010/05/20 14:02
			:Derwent; :IBM_tdb			
	5	S30 AND @ad<="20040301"	USPAT; USOCR; FPRS; EPO; JPO;	OR	ON	2010/05/20 14:11
	}		;DERWENT; ;IBM_TDB			i i i
	16	S28 AND (interactive SAME multi\$media) AND (content SAME application) AND (database memor\$3 stor\$3) SAME channel	(US-PGPUB) (USPAT; (USOCR; FPRS) (EPO; JPO; (DERWENT; (IBM_TDB	OR	ON	2010/05/20 14:11
	62	S22 AND (interactive SANE multi\$media) AND (content SANE application) AND (database memor\$3 stor\$3) SANE channel	;US-PGPUB; ;USPAT; ;USOCR; FPPS; ;EPO; JPO; ;DERWENT; ;IBM_TDB	OR	ON	2010/05/20 14:11
	1535	455/3.09-3.06 cds.		OR	ON	2010/05/20 14:11
••••	25	\$29 MID @ad<="20040301"	.	OR	ON	2010/05/20 :14:13
	2	(*20040128342*), Pk.		OR	OFF	2010/06/01 11:07
••••	2	(*6965770*).PN.		OR	OFF	2010/06/01 :11:11
****	2	(/*20030171095*), PL		OR	OFF	2010/06/01 11:27
,	6	S36 AND @ad<="20040301"		OR	ON	2010/06/01 11:35
;	12	(feed ADJ8 stor\$3 database memor\$3) AND channel SAME application AND ((subscrib\$3 subscript\$3) WITH channel) AND (replac\$3 substitut\$3 overwrit\$4) SAME (restrict\$3 WITH channel)		OR	ON	2010/06/01 11:35
	32	(feed\$stor\$3 database memor\$3) AND (channel link feed\$3) SAME application AND ((subscrib\$3 subscript\$3) WITH channel) AND (replac\$3 substitut\$3 overwrit\$4) SAME (restrict\$3 WITH (channel link feed\$3))		OR	ON	2010/06/01 11:39
	31	(feed(stor\$3 database memor\$3) AND (channel link) SAME application AND ((subscrib\$3 subscript\$3) WITH channel) AND (replac\$3 substitut\$3 overwrit\$4) SAME (restrict\$3 WITH (channel link))		OR	ON	2010/06/01 11:39
	6	S39 AND @ad<="20040301"		OR	ON	2010/06/01 11:40

342	578		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 11:53
1	1401		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 11:53
3	422		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 11:54
	424	(channel feed\$3 link()))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 12:40
;	121		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/06/01 12:41
}	59	S47 AND @ad<= '20040301'		OR	ON	2010/06/01 13:18
	175		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 13:18
		3.06,41.2,45,94,150.1,150.2,150.3,154.1,158.4,186.1,403,404.1,404.2,406,410,412.1,412.2,413,414.1,414.2,414.3,419,426.1,452.1,456.1,456.1,456.1,457,463,464,508,517,556.1,558,560,566.cds. 705/1.1.2,10,14.1,14.17,14.26,14.35,14.37,14.38,14.4,14.52,14.54,14.56,14.61,14.66,14.67,16.26,27,51,319,321,323.cds. 709/200,201,206,207,217,219,231,245,219,231.cds. 725/1,34,51,52,81,102,112,114,116,136.cds.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 13:18
****	7327		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM TDB	OR	ON	2010/06/02 11:08
1	13072	(system WITH channel) WITH (subscri\$4 WITH channel)		OR	ON	2010/06/02 11:08
	12990		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	άN	2010/06/02 11:08
	2		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/02 11:10
	1605	(system NEAR9 channel) WITH (subscriș4 NEAR9 channel) AND list\$3 AND available AND (restric\$3 prohibit\$3 permit\$3)		OR	ON	2010/06/02 11:11
1	1044		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/02 11:12

S55	159		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/02 11:27
Li	0		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/04 08:17
L2	:0	((link stream leed\$3) NEAP9 (stor\$3 database) SAME (channel WITH application) AND (channel NEAP9 data) SAME channel NEAP9 memor\$3 AND subscrib\$2 NEAP9 channel AND (replac\$3 substitut\$3 overwrit\$4) AND (restrict\$3 limit\$3 prohibit\$3) (SAME channel), clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/04 08:21
L4	0	((link stream feed\$3) SAME (stor\$3 database) SAME (channel WITH application) AND (channel NEAR9 memor\$3) AND (subscrib\$2 NEAR9 channel) AND (replac\$3 substitut\$3 overwrit\$4) AND ((restrict\$3 prohibit\$3 limit\$3) SAME channel)).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/04 08:22
L3	23	((link stream feed\$3) SAME (stor\$3 database) SAME (channel WiTH application) AND (channel NEAR9 memor\$3) AND (subscrib\$2 NEAR9 channel) AND (replac\$3 substitut\$3 overwrit\$4) AND ((restrict\$3 prohibit\$3 limit\$3) SAME channel))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/04 08:22
L5	0	((flink stream feed\$3) SAME (stor\$3 memor\$3 database) SAME (channel WITH application) AND (channel NEAR9 memor\$3) AND (subscrib\$2 NEAR9 channel) AND (replac\$3 substitut\$3 overwrit\$4) AND ((restrict\$3 prohibit\$3 limit\$3) SAME channel)). cim.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/04 08:25

6/4/2010 8:29:21 AM C\ Documents and Settings\ ptran6\ My Documents\ EAST\ Workspaces\ A_10791298_MobRichMedia.wsp